

NAOS

NAOS TILTING

NAOS RAPID


SEAGULL

SEAGULL TILTING

SEAGULL RAPID

I Istruzioni per il montaggio
GB Fitting instructions
D Montageanleitung
F Instructions de montage
E Instrucciones de montaje
NL Montage-instructies
PT Instruções de Montagem
S Monteringsanvisning
FIN Asennusohje
EST Paigaldusjuhend
LAT Stiprināšanas instrukcija
LIT Pritvirtinimo instrukcijos
PL Instrukcja montażu


RU Инструкции по установке
CZ Návod na montáž
SK Návod na montáž
SLO Navodila za pritrjevanje
HR Uputa za sastavljanje
HU A felszerelés módja
GR Οδηγίες συναρμολόγησης
DK Monteringsvejledning
RO Instrucțiuni de montare
TK Uydurma talimat
N Monteringsveiledning
中文 裝修指導
العربية تعليمات التجميل



N.	Componenti (Inclusi) Components (Included) Composants (Comprises) Die Komponenten (im Lieferumfang enthalten) Componentes (Incluido) Компоненты (в комплекте)	NAOS SEAGULL	NAOS TILTING SEAGULL TILTING	NAOS RAPID SEAGULL RAPID
		Q.	Q.	Q.
1		1	1	1
2		1	1	1
3		2	-	-
4		1	1	1
5		1	-	-
6		-	1	1
7		-	1	-
8		-	-	1
9		-	-	1
10		-	2	2
11		1	1	1
12		1	1	1
13		1	1	1
14		1	1	1
15		1	1	1
16		1	-	-
17		-	-	1
18		4	4	4
19		4	4	4
20		4	4	4
21		-	1	1
22		2	-	-
23		1	1	1
24		1	1	-
25		1	1	1
26		6	6	6
27		2	2	2
28		1	1	1
29		4	4	4
30		8	4	4
31		4	4	4
32		18	18	18
33		2	2	2
34		2	2	2
35		4	4	4
36		2	2	2
37		8	8	8
38		4	4	4
39		2	2	2
40		4	4	4
41		2	2	2
42		4	4	4

N.	Ricambi (A Richiesta)/Spare Parts (Made to order)/Pièces de rechange (Sur commande) Piezas de recambio (Previa solicitud) Teile (auf Anfrage) Запасные части (по запросу)	Q.	CODE/CE/COE/CODIGO CODE/NOJ
2		1	700003300000
3		1	700026300000
4		1	700007500000
5		1	700003000000
6		1	700004300000
7		1	700011500000
6		1	
8		1	700011400000
9		1	
6		1	
17		1	
10		1	700003200000
11		1	700007300000
12		1	700007400000
14		1	700020500000
15		1	
18		1	700020600000
19		1	
20		1	
22		1	700007700000
23		1	700025000000
24		1	700004100000
25		1	700001100000
26		3	700003600000
28		1	700017500000
29		4	700020700000
30		8	
31		4	
32		18	700020800000
33		2	
34		2	
35		4	
36		2	
37		8	
38		4	700020900000
39		2	
40		4	
41		2	
42		4	

NAOS / SEAGULL




22  MT 0,6

23  5mm

25  MT 2,5

28 

NAOS TILTING / SEAGULL TILTING





23 —  5mm

25 —  MT 2,5

28 — 

NAOS RAPID / SEAGULL RAPID



17 —  4mm


23 —  5mm

25 —  MT 2,5

28 — 


NAOS / SEAGULL

N		Q
1		1
5		1
23	5mm	1
24	M16x70	1
29	M8	4
30	8x17	8
31	M8x20	4




NAOS TILTING / SEAGULL TILTING

N		Q
1		1
6		1
7		1
23	5mm	1
24	M16x70	1
29	M8	4
30	8x17	4
31	M8x20	4






NAOS RAPID / SEAGULL RAPID

N		Q
1		1
6		1
8		1
9		1
23	5mm	1
29	M8	4
30	8x17	4
31	M8x20	4





NAOS / SEAGULL

N		Q
3		2
16		1
32	 M6	4
35	 M6x45	4
42		4





NAOS TILTING / SEAGULL TILTING / NAOS RAPID / SEAGULL RAPID



N		Q
21		1
32	 M6	4
35	 M6x45	4
42		4





N		Q
13		1
14		1
15		1
23	 5mm	1
32	 M6	2
41	 M6x70	2




N		Q
18		4
19		4
20		4
23		1
32		8
37		8




N		Q
2		1
11		1
12		1
38		4
40		4



N		Q
4		1
32	 M6	4
34	 M6X40	2
36	 M6X14	2
39	 6x18	2
33	 6x12	2










N		Q
26		6




NAOS TILTING / SEAGULL TILTING / NAOS RAPID / SEAGULL RAPID

N		Q
10		2












NAOS / SEAGULL / NAOS TILTING / SEAGULL TILTING







NAOS RAPID / SEAGULL RAPID






N		Q
17	4mm	1




NAOS / SEAGULL

N		Q
22	 MT 0,6	2




NAOS TILTING / SEAGULL TILTING / NAOS RAPID / SEAGULL RAPID

N		Q
10		2












NAOS / SEAGULL / NAOS TILTING / SEAGULL TILTING / NAOS RAPID / SEAGULL RAPID




N		Q
25	 MT 2,5	1



NAOS TILTING / SEAGULL TILTING / NAOS RAPID / SEAGULL RAPID







MAX 50kg >50kg	NAOS SEAGULL 9,9kg	MAX 15 kg 2x MAX 30 kg MAX 30 kg	NAOS TILTING SEAGULL TILTING 12,3 kg	MAX 15 kg 2x MAX 30 kg MAX 30 kg	NAOS RAPID SEAGULL RAPID 13,7kg	MAX 15 kg 2x MAX 30 kg MAX 30 kg
----------------------	--------------------------	---	--	---	---------------------------------------	---

Cod. istr.	Data	Creato da	Approvata da
500010700001	09/02/2017	NP	EL

F.lli Menabò S.r.l.
 Via 8 Marzo, 3
 I - 42025 Cavriago (RE)
 Tel. +39-(0)522/942840
 Fax. +39-(0)522/942948
 e-mail: info@flli-menabo.it
www.flli-menabo.it
www.m-way.it